

Naturopathic Formulary by Classification

The following are classifications for substances listed in RSA 328-E:16, III revised and adopted on June 09, 2009 by the Board of Naturopathic Examiners Formulary Council established by the New Hampshire Legislature. Substances listed on the formulary compendium can be prescribed in any dosage or any dosage form. Products marked with an asterisk (*) may be used by Naturopathic Doctors, but may not be prescribed. A double asterisk (**) indicates examples included and are not limited to the substances listed within the category.

- 1) **Amino Acids**;**
 - A) Acetyl Carnitine
 - B) EDTA
 - C) GABA
 - D) Glutathione
 - E) Levocarnitine
 - F) Succinic Acid (DMSA)
 - G) Tryptophan

- 2) **Animal Preparation and their derivatives**;**
 - A) Adrenal
 - B) Thymus
 - C) Thyroid (See Hormones section 15)

- 3) **Antigout Agents;**
 - A) Allopurinol;
 - B) Colchicine;
 - C) Probenecid;

- 4) **Antihistamines;**
 - A) 1st generation, ethanolamines (aminoalkyl ether);
 - i) Diphenhydramine
 - B) 1st generation, piperazine-derived;
 - i) Meclizine

- 5) **Anti-Hyperglycemic Agents (Diabetic);**
 - A) Alpha Glucosidase Inhibitors
 - i) Acarbose;
 - B) Biguanides
 - i) Metformin;
 - C) Insulin – synthetic and human

- 6) **Anti-infective Agents;**
 - A) Antibacterial Agents;
 - i) Aminoglycosides**;
 - (1) Gentamicin;
 - (2) Kanamycin Sulfate;
 - (3) Tobramycin;
 - ii) Beta-lactam antibiotics;
 - (1) Cephalosporins**;
 - (a) Cefaclor;
 - (b) Cefadroxil;

- (c) Cefdinir;
- (d) Cefditoren;
- (e) Cefibuten;
- (f) Cefixime;
- (g) Cefonicid Sodium;
- (h) Cefpodoxime Proxetil;
- (i) Cefprozil;
- (j) Ceftibuten;
- (k) Cefuroxime;
- (l) Cephalexin;
- (m) Cephradine;
- (2) Penicillins**;
- (a) Amoxicillin and Clavulanate;
- (b) Amoxicillin;
- (c) Ampicillin and Sulbactam;
- (d) Ampicillin;
- (e) Bacampicillin;
- (f) Cloxacillin;
- (g) Dicloxacillin;
- (h) Oxacillin;
- (i) Penicillin;
- iii) Macrolides and Ketolides**;
- (1) Azithromycin;
- (2) Clarithromycin;
- (3) Dirithromycin;
- (4) Erythromycins;
- (5) Telithromycin;
- (6) Troleandomycin;
- iv) Quinolones**;
- (1) Fluoroquinolones;
- v) Sulfonamides;
- (1) Sulfonamide/Trimethoprim/Sulfones;
- vi) Tetracyclines**;
- (1) Demeclocycline Hydrochloride;
- (2) Doxycycline;
- (3) Minocycline;
- (4) Oxytetracycline;
- (5) Tetracycline;
- vii) Miscellaneous antibacterials;
- (1) Bacitracin;
- (2) Clindamycin;
- (3) Colistimethate;
- (4) Lincomycin;
- (5) Novobiocin;
- (6) Polymyxin B Sulfate;
- (7) Spectinomycin;
- (8) Vancomycin;
- B) Antifungals;

- i) Polyene;
 - (1) Amphotericin B;
 - (2) Nystatin;
- ii) Gentian Violet;
- iii) Griseofulvin;
- C) Antihelmintics;
 - i) Mebendazole;
 - ii) Thiabendazole;
- D) Antitubercular and antimycobacterial agents;
 - i) Aminosalicylic Acid;
 - ii) Cycloserine;
 - iii) Pyrazinamide;
 - iv) Rifabutin;
 - v) Rifampin;
- E) Antiprotozoal and antiparasitic agents;
 - i) Halogenated 8-hydroxyquinolines
 - (1) Iodoquinol;
 - ii) Nitroimidazoles;
 - (1) Metronidazole;
 - (2) Tinidazole
 - iii) Quinolines;
 - (1) Chloroquine;
 - (2) Hydroxychloroquine;
 - (3) Mefloquine;
 - (4) Quinine Sulfate;
 - iv) Hydroxynaphthoquinones
 - (1) Atovaquone
- F) Miscellaneous;
 - i) Immune Globulins **
 - ii) Mupirocin;
 - iii) Permethrin;
 - iv) Pyrethrins;

7) **Anti-thyroid Agents;**

- A) Thionamides (thioureylenes);
 - i) Methimazole
 - ii) Propylthiouracil

8) **Autonomic Drugs;**

- A) Anticholinergic agents;
 - i) Antimuscarinic agents
 - (1) Atropine;
 - (2) Atropine Sulfate;
 - (3) Belladonna;
 - (4) Flavoxate;
 - (5) Homatropine Hydrobromide;
 - (6) Hyoscyamine;
 - (7) Methscopolamine;

- (8) Scopolamine;
- ii) Muscarinic receptor agonists (cholinomimetics)
 - (1) Pilocarpine;
- B) Ergot derivatives
 - i) Ergonovine Maleate
 - ii) Methergine
- C) Sympathomimetic;
 - i) Ephedrine;
 - ii) Epinephrine, including auto-inject forms;
 - iii) Pseudoephedrine;
- D) Sympatholytic (adrenergic blocking) agents;
 - i) Alpha adrenergic blocking agents;
 - (1) Yohimbine;
 - ii) Beta adrenergic blocking agents**
 - (1) Propranolol;
- E) Miscellaneous;
 - i) Nicotine;

9) **Barrier Contraceptives**

- A) Cervical Caps
- B) Diaphragms
- C) Exclusion: IUD

10) **Biologicals;**

- A) Biological Response Modifiers
 - i) Candida and Trichophyton Extracts
 - ii) Rho(D) Immune Globulins
 - iii) Skin test antigens
 - iv) Tuberculin Tests
- B) Blood Typing Serum
- C) Enzymes**;

 - i) Collagenase;
 - ii) Desoxyribonuclease (deoxyribonuclease, multiple other synonyms);
 - iii) Fibrinolysin;.
 - iv) Hyaluronidase;
 - v) Pancrelipase;
 - vi) Papain;

- D) Electrolytes and Fluid Replacement **
 - i) Saline solutions
 - ii) Sterile water
 - iii) D5W
 - iv) Lactated Ringers Solution
 - v) Sodium Bicarbonate
- E) Hormones – see Hormones (section 13)
- F) Immune globulins - see anti-infective, misc;
- G) Prostaglandins and prostaglandin analogs**;

 - i) Alprostadil;
 - ii) Bimatoprost;

- iii) Dinoprostone;
- iv) Iloprost;
- v) Misoprostal;

11) Blood Formation and Coagulation;

- i) Heparin; subcutaneous, sublingual and heparin locks;

12) Botanicals **

- i) Non-legend or controlled Vinca species derivatives
- ii) Exclusions
 - (1) Digitalis
 - (2) Cocaine
 - (3) Legend or controlled Vinca species derivatives
 - (4) Papaver somniferum derivatives
 - (a) Codeine
 - (b) Morphine
 - (c) Opiates
 - (d) Paclitaxel

13) Cardiovascular Drugs;

- A) Antilipemic;
 - i) HMG CoA Reductase Inhibitors**;
 - (1) Atorvastatin;
 - (2) Fluvastatin;
 - (3) Lovastatin;
 - (4) Pravastatin;
 - (5) Simvastatin;
- B) Anti-angina agents;
 - i) Piperazine derivatives
 - (1) Metabolism modifiers (p-FOX Inhibitors);
 - (a) Ranolazine;
 - (b) Trimetazidine;
- C) Rauwolfia Alkaloids;

10) Central Nervous System Agents;

- A) Anticonvulsants
 - i) Agents that enhance GABA (gamma amino benzoic acid) Activity**;
 - (1) GABA Analogs and analog derivatives
 - (a) Gabapentin;
 - (b) Nipecotic Acid Derivatives
 - (i) Tigabine;
 - (c) Pregabalin;
- B) Psychotherapeutic;
 - i) Anxiolytics, Sedatives and Hypnotics;
 - (1) Benzodiazepines**;
 - (2) Non-benzodiazepine sedative-hypnotic agents;
 - (a) Imidazopyridine agents;
 - (i) Zolpidem;

- (b) Cyclopyrrolone agents;
 - (i) Eszopiclone;
- (3) Anti-Manic;
 - (a) Lithium;

12) Childbirth preparations

- A) Triple Dye

13) Homeopathic preparations and their derivatives**

14) Hormones;**

A) Adrenal

- i) Aldosterone
- ii) Cortisone acetate
- iii) DHEA
- iv) Epinephrine
- v) Hydrocortisone
- vi) Pregnenalone

B) Agents acting at estrogen receptors;

- i) Selective Estrogen-Receptor Modulators (SERMs) and anti-estrogens (estrogen antagonists)**;
 - (1) Clomiphene;
 - (2) Tamoxifen;
 - (3) Toremifene;
 - (4) Raloxifene;
- ii) Agents with mixed activity at steroidal receptors**;
- (1) Tibolone;

C) Gonadal

- i) Conjugated Estrogens
- ii) Estrogen
- iii) Estradiol
- iv) Estriol
- v) Estrone
- vi) Estropipate
- vii) Ethinyl Estradiol
- viii) HCG
- ix) Quinestrol
- x) Progesterone
- xi) Testosterone

D) Thyroid (See also Animal preparations section 2)

E) Pituitary

- i) ACTH
- ii) Growth Hormone
- iii) Oxytocin

F) Parathyroid

- i) Calcitonin

15) Local anesthetics;**

- A) Amino Esters
 - i) Procaine*;
 - ii) Chlorprocaine*;
 - iii) Tetracaine*;
 - iv) Benzocaine*;
- B) Amino Amides
 - i) Lidocaine * (injectable and non-injectable dosage forms);
 - ii) Mepivocaine*;
 - iii) Bupivacaine*;
 - iv) Levobupacaine (Chirocaine)*;
 - v) Etidocaine*;
 - vi) Prilocaine*;
- C) Other topical anesthetics
 - i) Ketones
 - (1) Dyclonine*;
 - ii) Ethers
 - (1) Pramoxine;
 - iii) Skin refrigerants
 - (1) Ethyl Chloride (chloroethane);
- D) Methyl Group Donors
 - i) Betaine;
- E) Sclerosing Agents
 - i) Laureth 4 (Polidocanol, hydroxyl polyethoxy dodecane, lauromacrogolum 400)*;

16) Mineral, Trace Minerals, and their derivatives **

- A) Super Saturated Potassium Iodine (SSKI);

17) Miscellaneous

- A) Bee Venom;
- B) DMSO;
- C) Ethyl Chloride Spray;
- D) Fluro-Ethyl Spray;
- E) Fluro-Methane Spray;
- F) Hydrogen Peroxide;
- G) Hydrochloric Acid;
- H) MSM;
- I) Oxygen;
- J) Salicylic Acid – topical application;
- K) Urea;

18) Periphenalia

- A) Needles*;
- B) Syringes*;
- C) IV Tubing*;
- D) Filters*;

19) Respiratory Anti-inflammatory Agents

- A) Cromolyn sodium

20) Vaccinations**

- A) BCG*;
- B) Cholera*;
- C) Diphtheria*;
- D) DPT*;
- E) Haemophilus b Conjugate*;
- F) Hepatitis A Virus*;
- G) Hepatitis B*;
- H) Influenza Virus*;
- I) Japanese Encephalitis Virus*;
- J) Measles Virus*;
- K) Mumps Virus*;
- L) Pertussis*;
- M) Plague*;
- N) Pneumococcal*;
- O) Poliovirus - Inactivated*;
- P) Poliovirus - Live Oral*;
- Q) Rabies*;
- R) Rubella*;
- S) Smallpox*;
- T) Tetanus IG*;
- U) Tetanus Toxoid*;
- V) Typhoid*;
- W) Varicella*;
- X) Yellow Fever*;

21) Vitamin – all forms of prescription and non-prescription vitamin preparations and their derivatives

- A) Exclusion;
 - i) Isotretinoin;