

Readopt with amendment Nat 406, effective 2-13-10 (Document #9656), to read as follows:

PART Nat 406 ONGOING REQUIREMENTS

Nat 406.01 Formulary. Pursuant to RSA 328-E:16, III, the formulary for licensees shall be as follows:

(a) Amino acids, including but not limited to:

- (1) Acetyl Carnitine;
- (2) EDTA;
- (3) GABA;
- (4) Glutathione;
- (5) Levocarnitine;
- (6) Succinic Acid (DMSA); and
- (7) Tryptophan;

(b) Animal preparations and their derivatives, including but not limited to:

- (1) Adrenal;
- (2) Thymus; and
- (3) Thyroid;

(c) The following antigout agents:

- (1) Allopurinol;
- (2) Colchicine; and
- (3) Probenecid;

(d) The following antihistamines:

- (1) First generation, ethanolamine (aminoalkyl ether) Diphenhydramine; and
- (2) First generation, piperazine-derived Meclizine;

(e) The following anti-hyperglycemic agents:

- (1) The alpha glucosidase inhibitor Acarbose;
- (2) The biguanide Metformin; and

(3) Synthetic and human insulin;

(f) The following anti-infective agents:

(1) The following antibacterial agents:

a. Aminoglycosides, including but not limited to:

1. Gentamicin;
2. Kanamycin sulfate; and
3. Tobramycin;

b. The following beta-lactam antibiotics:

1. Cephalosporins, including but not limited to:

- (i) Cefaclor;
- (ii) Cefadroxil;
- (iii) Cefdinir;
- (iv) Cefditoren;
- (v) Cefibuten;
- (vi) Cefixime;
- (vii) Cefonicid sodium;
- (viii) Cefodoxime proxetil;
- (ix) Cefprozil;
- (x) Cefibuten;
- (xi) Cefuroxime;
- (xii) Cephalexin; and
- (xiii) Cephadrine;

2. Penicillins, including but not limited to:

- (i) Amoxicillin and clavulanate;
- (ii) Amoxicillin;

(iii) Ampicillin and sulbactam;

(iv) Ampicillin;

(v) Bacampicillin;

(vi) Cloxacillin;

(vii) Dicloxacillin;

(viii) Oxacillin; and

(ix) Penicillin;

c. Macrolides and ketolides, including but not limited to:

1. Azithromycin;

2. Clarithromycin;

3. Dirithromycin;

4. Erythromycins;

5. Telithromycin; and

6. Troleandomycin;

d. Quinolones, including but not limited to fluoroquinolones;

e. The following sulfonamides:

1. Sulfonamide;

2. Trimethoprim; and

3. Sulfones;

f. Tetracyclines, including but not limited to:

1. Demeclocycline hydrochloride;

2. Doxycycline;

3. Minocycline;

4. Oxytetracycline; and

5. Tetracycline;

g. The following miscellaneous antibacterials:

1. Bacitracin;
2. Clindamycin;
3. Colistimethate;
4. Lincomycin;
5. Novobiocin;
6. Polymyxin B Sulfate;
7. Spectinomycin; and
8. Vancomycin;

(2) Antifungals, such as:

- a. Polyene;
- b. Amphotericin B;
- c. Nystatin;
- d. Fluconazole;
- e. Ketoconazole;
- f. Clotrimazole;
- g. Terbinafine; and
- h. Itraconazole;

(3) The following anti-virals:

- a. Valcyclovir;
- b. Acyclovir; and
- c. Famcyclovir;

(4) Anti-helminths, such as:

- a. Mebendazole;
- b. Thiabendazole;
- c. Nitazoxanide;

- d. Albendazole;
- e. Ivermectin;
- f. Mebendazole; and
- g. Praziquantel;

(5) The following antitubercular and antimycobacterial agents:

- a. Aminosalicylic acid;
- b. Cycloserine;
- c. Pyrazinamidel
- d. Rifabutin; and
- e. Rifampin;

(6) The following antiprotozoal and antiparasitic agents:

- a. The halogenated 8-hydroxyquinoline iodoquinol;
- b. The following nitroimidazoles:
 - 1. Metronidazole; and
 - 2. Tinidazole;
- c. The following quinolines:
 - 1. Chloroquine;
 - 2. Hydroxychloroquine;
 - 3. Mefloquine; and
 - 4. Quinine sulfate; and
- d. The hydroxynaphthoquinone atovaquone;

(7) The following miscellaneous anti-infective agents:

- a. Immune globulins;
- b. Mupirocin;
- c. Permethrin; and
- d. Pyrethrins;

(g) The following anti-thyroid agent thionamides (thioureylenes) :

(1) Methimazole; and

(2) Propylthiouracil;

(h) The following autonomic drugs:

(1) The following anticholinergic agents:

a. The following antimuscarinic agents:

1. Atropine;

2. Atropine sulfate;

3. Belladonna;

4. Flavoxate;

5. Homatropine hydrobromide;

6. Hyoscyamine;

7. Methscopolamine; and

8. Scopolamine;

b. The muscarinic receptor agonist (cholinomimetic) pilocarpine:

(2) The following ergot derivatives:

a. Ergonovine maleate; and

b. Methergine;

(3) The following sympathomimetics:

a. Ephedrine;

b. Epinephrine, including autoinject forms;

c. Pseudoephedrine;

d. Albuterol; and

e. Midodrine;

(4) The following sympatholytic agents, also known as adrenergic blocking agents:

- a. The following alpha adrenergic blocking agents:
 - 1. Yohimbine; and
 - 2. Tamulosin; and
- b. Beta adrenergic blocking agents, including but not limited to propranolol; and
- (5) Nicotine;
- (i) The following barrier contraceptives:
 - (1) Cervical caps; and
 - (2) Diaphragms, excluding intrauterine devices;
- (j) The following biologicals:
 - (1) The following biological response modifiers:
 - a. Candida and trichophyton extracts;
 - b. Rho(D) immune globulins;
 - c. Skin test antigens; and
 - d. Tuberculin tests;
 - (2) Blood typing serum;
 - (3) Enzymes, including but not limited to:
 - a. Collagenase;
 - b. Desoxyribonuclease;
 - c. Fibrinolysin;
 - d. Hyaluronidase;
 - e. Pancrelipase; and
 - f. Papain;
 - (4) Electrolytes and fluid replacements, including but not limited to:
 - a. Saline solutions;
 - b. Sterile water;
 - c. D5W;

- d. Lactated ringers solution; and
- e. Sodium bicarbonate;
- (5) Hormones as described in Nat 406.01(r);
- (6) Immune globulins, as described in Nat 406.01(f)(6)(a);
- (7) Prostaglandins and prostaglandin analogs, including but not limited to:
 - a. Alprostadi;
 - b. Bimatoprost;
 - c. Dinoprostone;
 - d. Iloprost; and
 - e. Misoprostal; and
- (8) Botox;
- (k) The blood formation and coagulation agent heparin, including subcutaneous, sublingual, and heparin locks;
- (l) Botanicals, including but not limited to:
 - (1) Non-legend or controlled vinca species derivatives, provided that:
 - a. The following botanicals shall be excluded from this formulary:
 - 1. Digitalis;
 - 2. Cocaine;
 - 3. Legend or controlled Vinca species derivatives; and
 - 4. The following Papaver somniferum derivatives:
 - (i) Morphine;
 - (ii) Opiates; and
 - (iii) Paclitaxel; and
 - (2) Codeine for cough;
- (m) The following cardiovascular drugs:
 - (1) The following antilipemics:

- a. HMG CoA Reductase Inhibitors, such as:
 - 1. Atorvastatin;
 - 2. Fluvastatin;
 - 3. Lovastatin;
 - 4. Pravastatin; and
 - 5. Simvastatin;
 - b. Cholestyramine; and
 - c. Colesevelam;
- (2) The following anti-angina, piperazine derivative, metabolism modifiers, or p-FOX Inhibitors;
- a. Ranolazine; and
 - b. Trimetazidine;
- (3) Rauwolfia alkaloids;
- (4) ACE's and ARB's, including but not limited to:
- a. Lisinopril; and
 - b. Valsarten;
- (5) The following diuretics:
- a. HCTZ; and
 - b. Spironolactone;
- (n) The following central nervous system agents:
- (1) Anticonvulsant agents that enhance gamma amino benzoic acid (GABA) activity, including but not limited to the following GABA analogs and analog derivatives:
- a. Gabapentin;
 - b. The nipecotic acid derivative tigabine; and
 - c. Pergabalin;
- (2) The following psychotherapeutics:
- a. The following anxiolytics, sedatives and hypnotics:

1. Benzodiazepines;
 2. The following non-benzodiazepine sedative-hypnotic agents:
 - (i) The imidazopyridine agent Zolpidem; and
 - (ii) The cyclopyrrolone agent Eszopiclone; and
 3. The anti-manic agent Lithium;
- b. SSRI's and SNRI's, for patients over 18 years of age, such as:
1. Prozac;
 2. Zoloft;
 3. Effexor;
 4. Celexa;
 5. Lexipro; and
 6. Paxil;
- (o) Triple dye, for use in childbirth preparations;
- (p) The following erectile dysfunction agents:
- (1) Tadalafil; and
 - (2) Sildenafil;
- (q) Homeopathic preparations and their derivatives;
- (r) Hormones, including but not limited to:
- (1) Adrenal hormones, such as:
 - a. Aldosterone;
 - b. Cortisone acetate;
 - c. DHEA;
 - d. Epinephrine;
 - e. Hydrocortisone; and
 - f. Pregnenalone;

- (2) Agents acting at estrogen receptors, such as:
 - a. Selective estrogen-receptor modulators (SERMs), and anti-estrogens or estrogen antagonists, such as:
 - 1. Clomiphene;
 - 2. Tamoxifen;
 - 3. Toremifene; and
 - 4. Raloxifene; and
 - b. Agents with mixed activity at steroidal receptors, such as Tibolone;
- (3) Gonadal hormones, such as:
 - a. Conjugated estrogens;
 - b. Estrogen;
 - c. Estradiol;
 - d. Estriol;
 - e. Estrone;
 - f. Estropipate;
 - g. Ethinyl estradiol;
 - h. HCG;
 - i. Quinestrol;
 - j. Progesterone; and
 - k. Testosterone;
- (4) Thyroid hormones;
- (5) Pituitary hormones, such as:
 - a. ACTH;
 - b. Growth hormone; and
 - c. Oxytocin; and
- (6) Parathyroid hormones, such as calcitonin;

- (7) Hormonal modifiers, such as dutasteride;
- (s) Local anesthetics, such as:
 - (1) The following amino esters, so long as they are not prescribed:
 - a. Procaine;
 - b. Chlorprocaine;
 - c. Tetracaine; and
 - d. Benzocaine;
 - (2) The following amino amides, so long as they are not prescribed:
 - a. Lidocaine, including both injectable and non-injectable dosage forms;
 - b. Mepivocaine;
 - c. Bupivacaine;
 - d. Levobupacaine, also known as Chirocaine;
 - e. Etidocaine; and
 - f. Prilocaine;
 - (3) The following other topical anesthetics:
 - a. The ketone Dyclonine, so long as it is not prescribed;
 - b. The ether Pramoxine; and
 - c. The skin refrigerant ethyl chloride, also known as chloroethane;
 - (4) The methyl group donor betaine; and
 - (5) The sclerosing agent laurth 4, also known as Polidocanol, hydroxyl polyethoxy dodecane, lauromacrogolum 400, so long as it is not prescribed;
- (t) Minerals, trace minerals, and their derivatives, such as super saturated potassium iodine (SSKI);
- (u) The following miscellaneous agents:
 - (1) Bee venom;
 - (2) DMPS;
 - (3) DMSO;

- (4) Ethyl chloride spray;
- (5) Fluro-ethyl spray;
- (6) Fluro-methane spray;
- (7) Hydrogen peroxide;
- (8) Hydrochloric acid;
- (9) Naltrexone, up to 10 milligrams per dose;
- (10) MSM;
- (11) Oxygen;
- (12) Salicylic acid preparations, including but not limited to:
 - a. Mesalamine; and
 - b. Topical salicylic acid preparations; and
- (13) Urea;
- (v) The following paraphernalia:
 - (1) Needles;
 - (2) Syringes;
 - (3) IV Tubing; and
 - (4) Filters;
- (w) The respiratory anti-inflammatory agent cromolyn sodium;
- (x) Vaccinations, provided they are for use and not prescription, including but not limited to:
 - (1) BCG;
 - (2) Cholera;
 - (3) Diphtheria;
 - (4) DPT;
 - (5) Haemophilus b Conjugate;
 - (6) Hepatitis A Virus;

- (7) Hepatitis B;
 - (8) Influenza Virus;
 - (9) Japanese Encephalitis Virus;
 - (10) Measles Virus;
 - (11) Mumps virus;
 - (12) Pertussis;
 - (13) Plague;
 - (14) Pneumococcal;
 - (15) Polio virus – inactivated;
 - (16) Poliovirus – live oral;
 - (17) Rabies;
 - (18) Rubella;
 - (19) Smallpox;
 - (20) Tetanus IG;
 - (21) Tetanus Toxoid;
 - (22) Typhoid;
 - (23) Varicella; and
 - (24) Yellow fever; and
- (y) All forms of prescription and non-prescription vitamin preparations and their derivatives, except for Isotretinoin.