AMP ASSESSMENT CENTER
Guidelines for Acceptable Calculators

Several AMP testing programs allow candidates to use a calculator to complete their examination. However, not all calculators are acceptable. To help identify acceptable calculators, AMP has created these guidelines.

What is Allowed?

- An allowable calculator will be hand-held, solar or battery operated, and silent (i.e., the calculator has NO printing capability).
- Calculators with simple memory or scientific function are allowed.
- Financial and Real Estate calculators generally ARE allowed, but they must be hand held, solar or battery powered and silent.

The HP 12C, HP17BII, the TI-BAII plus, TI-BAII plus Professional calculators do not have full alpha keypads and **ARE ALLOWED**.

Examples of acceptable calculators:

There are many calculators available on the market today. If you are unsure a calculator presented to you is allowed for testing, please contact AMP Technical Support at the number below and we will either confirm or deny the calculator in question before the candidate begins the examination.

AMP does ongoing detailed research regarding the more popular calculators that may be used for AMP examinations and should be able to answer any questions you may have.

Thank you!

AMP Technical Support 1-888-288-7480

What is NOT Allowed?

- Calculators that are NOT acceptable include large calculators that have printing capabilities or need to be plugged in.
- Calculators with screens that can display more than one line of numbers or those with alphabetic keypads (keys from A-Z that allow text input) are not allowed due to the threat of candidates storing exam information.
- Any mobile device with a calculator function (cell phone, PDA, tablet, etc.) is not allowed.

The I-Touch and I-Pad, TI-83 Plus, HP 19BII, 39G, 49G, 48Gx calculators are true programmable devices with alpha keypads and are NOT allowed.

Graphing calculators and phones of any kind, even with calculator functionality, are **STRICTLY PROHIBITED**.

Examples of calculators which are **NOT** acceptable:

Notice: For all Real Estate Appraiser examinations, the proctor must clear the calculator memory before and after the examination.